COMPUTER METHODS IN APPLIED MECHANICS AND ENGINEERING 87 (1991) 385–386
NORTH-HOLLAND

AUTHOR INDEX OF VOLUME 87*

Arbogast, T., see Douglas, Jr., J. (2–3) 157–174

Bendsøe, M.P. and H.C. Rodrigues, Integrated topology and boundary shape optimization of 2-D solids (1) 15–34
Bhat, M.V., see Habashi, W.G. (2–3) 253–265

Cardot, B., F. Coron, B. Mohammadi and O. Pironneau, Simulation of turbulence with the $k-\epsilon$ model (2–3) 103–116
Coron, F., see Cardot, B. (2–3) 103–116

Dean, E.J., R. Glowinski and O. Pironneau, Iterative solution of the stream function–vorticity formulation of the Stokes problem. Applications to the numerical simulation of incompressible viscous flow (2–3) 117–155
Douglas, Jr., J., J.L. Hensley and T. Arbogast, A dual-porosity model for waterflooding in naturally fractured reservoirs (2–3) 157–174

Engelman, M.S., see Givler, R.C. (2–3) 175–200

Gartling, D.K., see Givler, R.C. (2–3) 175–200
Givler, R.C., D.K. Gartling, M.S. Engelman and V. Haroutunian, Navier–Stokes simulations of flow past three-dimensional submarine models (2–3) 175–200
Glowinski, R., see Dean, E.J. (2–3) 117–155
Gresho, P.M., Some current CFD issues relevant to the incompressible Navier–Stokes equations (2–3) 201–252

Habashi, W.G., V.-N. Nguyen and M.V. Bhat, Efficient direct solvers for large-scale computational fluid dynamics problems (2–3) 253–265
Hansbo, P. and C. Johnson, Adaptive streamline diffusion methods for compressible flow using conservation variables (2–3) 267–280
Harari, I. and T.J.R. Hughes, Finite element methods for the Helmholtz equation in an exterior domain: Model problems (1) 59–96
Haroutunian, V., see Givler, R.C. (2–3) 175–200
Hassan, O., see Morgan, K. (2–3) 335–352
Hensley, J.L., see Douglas, Jr., J. (2–3) 157–174
Hsiao, K.-M. and J.-Y., Jang, Dynamic analysis of planar flexible mechanisms by co-rotational formulation (1) 1–14

* The issue number is given in front of the page numbers.

Hughes, T.J.R., see Harari, I. (1) 59–96
Hughes, T.J.R., see Johan, Z. (2–3) 281–304
Hughes, T.J.R., see Shakib, F. (1) 35–58

Jang, J.-Y., see Hsiao, K.-M. (1) 1–14
Johan, Z., T.J.R. Hughes and F. Shakib, A globally convergent matrix-free algorithm for implicit time-marching schemes arising in finite element analysis in fluids (2–3) 281–304
Johnson, C., see Hansbo, P. (2–3) 267–280

Li, C.-P., Computational methods for shock waves in three-dimensional supersonic flow (2–3) 305–327

Mittal, S., see Tezduyar, T.E. (2–3) 363–384
Mohammadi, B., see Cardot, B. (2–3) 103–116
Moin, P., Towards large eddy and direct simulation of complex turbulent flows (2–3) 329–334
Morgan, K., J. Peraire, J. Peiro and O. Hassan, The computation of three-dimensional flows using unstructured grids (2–3) 335–352

Nguyen, V.-N., see Habashi, W.G. (2–3) 253–265

Peiro, J., see Morgan, K. (2–3) 335–352
Peraire, J., see Morgan, K. (2–3) 335–352
Pironneau, O., see Cardot, B. (2–3) 103–116
Pironneau, O., see Dean, E.J. (2–3) 117–155

Rodrigues, H.C., see Bendsøe, M.P. (1) 15–34

Satofuka, N., Large-scale method of lines solution of fluid dynamic equations on Japanese supercomputers (2–3) 353–361
Shakib, F. and T.J.R. Hughes, A new finite element formulation for computational fluid dynamics: IX. Fourier analysis of space–time Galerkin/least-squares algorithms (1) 35–58
Shakib, F., see Johan, Z. (2–3) 281–304
Shih, R., see Tezduyar, T.E. (2–3) 363–384

Tezduyar, T.E., S. Mittal and R. Shih, Time-accurate incompressible flow computations with quadrilateral velocity–pressure elements (2–3) 363–384

COMPUTER METHODS IN APPLIED MECHANICS AND ENGINEERING 87 (1991) 387–391
NORTH-HOLLAND

SUBJECT INDEX OF VOLUME 87*

Dynamics

Dynamic analysis of planar flexible mechanisms by co-rotational formulation, K.-M. Hsiao and J.-Y. Jang (1) 1–14

Elasticity

Integrated topology and boundary shape optimization of 2-D solids, M.P. Bendsøe and H.C. Rodrigues (1) 15–34

Finite difference methods

A dual-porosity model for waterflooding in naturally fractured reservoirs, J. Douglas, Jr., J.L. Hensley and T. Arbogast (2–3) 157–174
Computational methods for shock waves in three-dimensional supersonic flow, C.-P. Li (2–3) 305–327
Towards large eddy and direct simulation of complex turbulent flows, P. Moin (2–3) 329–334
The computation of three-dimensional flows using unstructured grids, K. Morgan, J. Peraire, J. Peiro and O. Hassan (2–3) 335–352
Large-scale method of lines solution of fluid dynamic equations on Japanese supercomputers, N. Satofuka (2–3) 353–361

Finite element and matrix methods

Dynamic analysis of planar flexible mechanisms by co-rotational formulation, K.-M. Hsiao and J.-Y. Jang (1) 1–14
Integrated topology and boundary shape optimization of 2-D solids, M.P. Bendsøe and H.C. Rodrigues (1) 15–34
A new finite element formulation for computational fluid dynamics: IX. Fourier analysis of space–time Galerkin/least-squares algorithms, F. Shakib and T.J.R. Hughes (1) 35–58
Finite element methods for the Helmholtz equation in an exterior domain: Model problems, I. Harari and T.J.R. Hughes (1) 59–96
Simulation of turbulence with the $k-\epsilon$ model, B. Cardot, F. Coron, B. Mohammadi and O. Pironneau (2–3) 103–116

* The issue number is given in front of the page numbers.

Iterative solution of the stream function–vorticity formulation of the Stokes problem. Applications to the numerical simulation of incompressible viscous flow, E.J. Dean, R. Glowinski and O. Pironneau (2–3) 117–155
Navier–Stokes simulations of flow past three-dimensional submarine models, R.C. Givler, D.K. Gartling, M.S. Engelman and V. Haroutunian (2–3) 175–200
Some current CFD issues relevant to the incompressible Navier–Stokes equations, P.M. Gresho (2–3) 201–252
Efficient direct solvers for large-scale computational fluid dynamics problems, W.G. Habashi, V.-N. Nguyen and M.V. Bhat (2–3) 253–265
Adaptive streamline diffusion methods for compressible flow using conservation variables, P. Hansbo and C. Johnson (2–3) 267–280
A globally convergent matrix-free algorithm for implicit time-marching schemes arising in finite element analysis in fluids, Z. Johan, T.J.R. Hughes and F. Shakib (2–3) 281–304
The computation of three-dimensional flows using unstructured grids, K. Morgan, J. Peraire, J. Peiro and O. Hassan (2–3) 335–352
Time-accurate incompressible flow computations with quadrilateral velocity–pressure elements, T.E. Tezduyar, S. Mittal and R. Shih (2–3) 363–384

Fluid mechanics

A new finite element formulation for computational fluid dynamics: IX. Fourier analysis of space–time Galerkin/least-squares algorithms, F. Shakib and T.J.R. Hughes (1) 35–58
Finite element methods for the Helmholtz equation in an exterior domain: Model problems, I. Harari and T.J.R. Hughes (1) 59–96
Simulation of turbulence with the $k-\epsilon$ model, B. Cardot, F. Coron, B. Mohammadi and O. Pironneau (2–3) 103–116
Iterative solution of the stream function–vorticity formulation of the Stokes problem. Applications to the numerical simulation of incompressible viscous flow, E.J. Dean, R. Glowinski and O. Pironneau (2–3) 117–155
A dual-porosity model for waterflooding in naturally fractured reservoirs, J. Douglas, Jr., J.L. Hensley and T. Arbogast (2–3) 157–174
Navier–Stokes simulations of flow past three-dimensional submarine models, R.C. Givler, D.K. Gartling, M.S. Engelman and V. Haroutunian (2–3) 175–200
Some current CFD issues relevant to the incompressible Navier–Stokes equations, P.M. Gresho (2–3) 201–252
Efficient direct solvers for large-scale computational fluid dynamics problems, W.G. Habashi, V.-N. Nguyen and M.V. Bhat (2–3) 253–265
Adaptive streamline diffusion methods for compressible flow using conservation variables, P. Hansbo and C. Johnson (2–3) 267–280
A globally convergent matrix-free algorithm for implicit time-marching schemes arising in finite element analysis in fluids, Z. Johan, T.J.R. Hughes and F. Shakib (2–3) 281–304

Computational methods for shock waves in three-dimensional supersonic flow, C.-P. Li (2–3) 305–327
Towards large eddy and direct simulation of complex turbulent flows, P. Moin (2–3) 329–334
The computation of three-dimensional flows using unstructured grids, K. Morgan, J. Peraire, J. Peiro and O. Hassan (2–3) 335–352
Large-scale method of lines solution of fluid dynamic equations on Japanese supercomputers, N. Satofuka (2–3) 353–361
Time-accurate incompressible flow computations with quadrilateral velocity–pressure elements, T.E. Tezduyar, S. Mittal and R. Shih (2–3) 363–384

Gas dynamics

Adaptive streamline diffusion methods for compressible flow using conservation variables, P. Hansbo and C. Johnson (2–3) 267–280
A globally convergent matrix-free algorithm for implicit time-marching schemes arising in finite element analysis in fluids, Z. Johan, T.J.R. Hughes and F. Shakib (2–3) 281–304
The computation of three-dimensional flows using unstructured grids, K. Morgan, J. Peraire, J. Peiro and O. Hassan (2–3) 335–352

Incompressible and near incompressible media

Simulation of turbulence with the $k-\epsilon$ model, B. Cardot, F. Coron, B. Mohammadi and O. Pironneau (2–3) 103–116
Iterative solution of the stream function–vorticity formulation of the Stokes problem. Applications to the numerical simulation of incompressible viscous flow, E.J. Dean, R. Glowinski and O. Pironneau (2–3) 117–155
A dual-porosity model for waterflooding in naturally fractured reservoirs, J. Douglas, Jr., J.L. Hensley and T. Arbogast (2–3) 157–174
Navier–Stokes simulations of flow past three-dimensional submarine models, R.C. Givler, D.K. Gartling, M.S. Engelman and V. Haroutunian (2–3) 175–200
Some current CFD issues relevant to the incompressible Navier–Stokes equations, P.M. Gresho (2–3) 201–252
Towards large eddy and direct simulation of complex turbulent flows, P. Moin (2–3) 329–334
Large-scale method of lines solution of fluid dynamic equations on Japanese supercomputers, N. Satofuka (2–3) 353–361
Time-accurate incompressible flow computations with quadrilateral velocity–pressure elements, T.E. Tezduyar, S. Mittal and R. Shih (2–3) 363–384

Nonlinear mechanics

Dynamic analysis of planar flexible mechanisms by co-rotational formulation, K.-M. Hsiao and J.-Y. Jang (1) 1–14

Numerical solution procedures

Iterative solution of the stream function–vorticity formulation of the Stokes problem. Applications to the numerical simulation of incompressible viscous flow, E.J. Dean, R. Glowinski and O. Pironneau (2–3) 117–155
Efficient direct solvers for large-scale computational fluid dynamics problems, W.G. Habashi, V.-N. Nguyen and M.V. Bhat (2–3) 253–265
Adaptive streamline diffusion methods for compressible flow using conservation variables, P. Hansbo and C. Johnson (2–3) 267–280
A globally convergent matrix-free algorithm for implicit time-marching schemes arising in finite element analysis in fluids, Z. Johan, T.J.R. Hughes and F. Shakib (2–3) 281–304

Optimisation and design of structures

Integrated topology and boundary shape optimization of 2-D solids, M.P. Bendsøe and H.C. Rodrigues (1) 15–34

Solutions of ordinary and partial differential equations

Large-scale method of lines solution of fluid dynamic equations on Japanese supercomputers, N. Satofuka (2–3) 353–361

Supersonic flow

Computational methods for shock waves in three-dimensional supersonic flow, C.-P. Li (2–3) 305–327

Systems of linear and nonlinear simultaneous equations

Efficient direct solvers for large-scale computational fluid dynamics problems, W.G. Habashi, V.-N. Nguyen and M.V. Bhat (2–3) 253–265
A globally convergent matrix-free algorithm for implicit time-marching schemes arising in finite element analysis in fluids, Z. Johan, T.J.R. Hughes and F. Shakib (2–3) 281–304

Transport phenomena

A new finite element formulation for computational fluid dynamics: IX. Fourier analysis of space–time Galerkin/least-squares algorithms, F. Shakib and T.J.R. Hughes (1) 35–58
Adaptive streamline diffusion method for compressible flow using conservation variables, P. Hansbo and C. Johnson (2–3) 267–280

Turbulence

Simulation of turbulence with the $k-\epsilon$ model, B. Cardot, F. Coron, B. Mohammadi and O. Pironneau (2–3) 103–116
Towards large eddy and direct simulation of complex turbulent flows, P. Moin (2–3) 329–334

Viscous flow

Simulation of turbulence with the $k-\epsilon$ model, B. Cardot, F. Coron, B. Mohammadi and O. Pironneau (2–3) 103–116
Iterative solution of the stream function–vorticity formulation of the Stokes problem. Applications to the numerical simulation of incompressible viscous flow, E.J. Dean, R. Glowinski and O. Pironneau (2–3) 117–155
Navier–Stokes simulations of flow past three-dimensional submarine models, R.C. Givler, D.K. Gartling, M.S. Engelman and V. Haroutunian (2–3) 175–200
Some current CFD issues relevant to the incompressible Navier–Stokes equations, P.M. Gresho (2–3) 201–252
Large-scale method of lines solution of fluid dynamic equations on Japanese supercomputers, N. Satofuka (2–3) 353–361
Time-accurate incompressible flow computations with quadrilateral velocity–pressure elements, T.E. Tezduyar, S. Mittal and R. Shih (2–3) 363–384